

soljida

ARENELLA

WWW.SOLIDATILE.COM

804-256-3337

SALES@SOLIDATILE.COM

2280 DABNEY RD
RICHMOND VA 23230

ARENELLA

Arenella embraces an exquisite illusion of marble with soft natural tones. This classic selection conveys an elegant style for a timeless design. An alluring neutral color palette with colors Off White, Light Beige and Light Gray emit a captivating view. The variety of sizes, accompanied by a mosaic option, makes this an intrinsic choice for an absolute design.



GLAZED CERAMIC FLOOR TILE



OFF WHITE AR30




LIGHT BEIGE AR31



LIGHT GRAY AR32

2X2 MOSAIC ON 12X12 SHEET



OFF WHITE AR30



LIGHT BEIGE AR31



LIGHT GRAY AR32



LIGHT GRAY 12 X 12"

SIZES

		THICKNESS	SQ. FT. / CARTON	PIECES/ CARTON
	12 x 24 Floor Tile	3/8"	17.49	9
	12 x 12 Floor Tile	5/16"	16.49	17
	2 x 2 Mosaic (Dot-mounted)	1/4"	10	10

TRIM

			NUMBER	PIECES/ CARTON
	Floor Bullnose	3x12"	P-43C9	22

INSTALLATION

RECOMMENDED GROUT JOINT:

Floor tile: 3/16" (Overlap should not exceed 33% when installing tile with a length 15" or greater in a staggered brick-joint pattern.)

Mosaic: 1/8"

PERFORMANCE CHARACTERISTICS

	ASTM#	FLOOR RESULT	MOSAIC RESULT
Water Absorption	C373	< 7.0%	< 3.0%
Breaking Strength	C648	> 250 lbs.	> 250 lbs.
Scratch Hardness	MOHS	7.0	8.0
Chemical Resistance	C650	Resistant	Resistant
Abrasion Resistance	C1027	3	3

USAGE

FLOORS	WALLS	COUNTERTOPS
F	W	C

APPLICATIONS

	TARGET DCOF WET	SUITABLE
Dry & Level – Interior Floor	N/A	●
Wet & Level – Interior Floor	≥ 0.42	●
Shower Floors (Residential or Light Commercial)	≥ 0.42	●*
Exterior Floor Applications (including pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	●
Countertops	N/A	●
Pool Linings	N/A	●*

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3.

*Mosaic tile only

NOTES

Suitable for exterior applications in non-freezing climates, when proper installation methods are followed.

Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation.

PRODUCTS

STOCK NUMBER	COLOR	SIZE	APPLICATION
MZAR301212N	Off White	12 x 12"	Floor / Wall
MZAR301224N	Off White	12 x 24"	Floor / Wall
MZAR3022	Off White	2 x 2" Mosaic	Floor / Wall / Shower Floor
MZAR30P43C9	Off White	3 x 12" Bullnose	Trim
MZAR311212N	Light Beige	12 x 12"	Floor / Wall
MZAR311224N	Light Beige	12 x 24"	Floor / Wall
MZAR3122	Light Beige	2 x 2" Mosaic	Floor / Wall / Shower Floor
MZAR31P43C9	Light Beige	3 x 12" Bullnose	Trim
MZAR321212N	Light Gray	12 x 12"	Floor / Wall
MZAR321224N	Light Gray	12 x 24"	Floor / Wall
MZAR3222	Light Gray	2 x 2" Mosaic	Floor / Wall / Shower Floor
MZAR32P43C9	Light Gray	3 x 12" Bullnose	Trim

[CLICK HERE TO LOG IN TO MTDECOR FOR PRICING AND AVAILABILITY](#)

TO PLACE AN ORDER OR SET UP AN ACCOUNT,
CALL 804-256-3337 OR EMAIL SALES@SOLIDATILE.COM



OFF WHITE 2 x 2" MOSAIC



solida tile

2280 dabney rd
richmond va 23230
804•256•3337
www.solidatile.com